ELSEVIER

Brain Research 782 (1998) 352–354

BRAIN RESEARCH

Author Index

Adam, G., see Schaffhauser, H. (782) 91
Allert, N., Köller, H. and Siebler, M.
Ammonia-induced depolarization of cultured rat cortical astrocytes (782) 261
Anadón, R., Meléndez-Ferro, M., Pérez-Costas, E., Pombal, M.A. and Rodicio, M.C.
Centrifugal fibers are the only GABAergic structures of the retina of the larval sea lamprey: an immunocytochemical study (782) 297
Araki, H., see Kawasaki, H. (782) 333
Auerbach, E.A., see Turgeon, S.M. (782) 329

Barnabei, O., see Lucchi, R. (782) 105
Barnes, J.R., see Raley-Susman, K.M. (782) 281
Ben-Ari, Y., see Rafiki, A. (782) 142
Bennett, B.A., Hollingsworth, C.K., Martin, R.S. and Harp, J.J.
Methamphetamine-induced alterations in dopamine transporter function (782) 219
Bhargava, H.N., Sharma, S.S. and Bian, J.-T.
Evidence for a role of *N*-Methyl-D-aspartate receptors in L-arginine-induced attenuation of morphine antinociception (782) 314
Bian, J.-T., see Bhargava, H.N. (782) 314
Billington, C.J., see Giraudo, S.Q. (782) 18
Birnbaum, S.G. and Davis, M.
Modulation of the acoustic startle reflex by infusion of corticotropin-releasing hormone into the nucleus reticularis pontis caudalis (782) 318
Bleuel, Z., see Schaffhauser, H. (782) 91
Blum, J.E., see Turgeon, S.M. (782) 329
Brooks, P.J., see Douglas, A.J. (782) 167

Cartmell, J., see Schaffhauser, H. (782) 91
Cassetta, E., see Rossini, P.M. (782) 153
Chan, S.H.H., see Luoh, H.F. (782) 73
Chevassus-au-Louis, N., see Rafiki, A. (782) 142
Crews, F.T., see Knapp, D.J. (782) 1

Dark, J., see Ruby, N.F. (782) 63
Davis, M., see Birnbaum, S.G. (782) 318
Dawe, G.S., see Raevsky, V.V. (782) 324
DeLorenzo, R.J., see Rice, A.C. (782) 240
Denavit-Saubié, M., see Zheng, Y. (782) 113
DiPette, D.J., see Supowit, S.C. (782) 184
Douglas, A.J., Meeren, H.K.M., Johnstone, L.E., Pfaff, D.W., Russell, J.A. and Brooks, P.J.
Stimulation of expression of the oxytocin gene in rat supraoptic neurons at parturition (782) 167
Du, J., Lorrain, D.S. and Hull, E.M.
Castration decreases extracellular, but increases intracellular, dopamine in medial preoptic area of male rats (782) 11
Dubner, R., see Wei, F. (782) 136
Duelli, R., Staudt, R., Grünwald, F. and Kuschinsky, W.
Increase of glucose transporter densities (Glut1 and Glut3) during chronic administration of nicotine in rat brain (782) 36

Espitia, L., see Salgado-Ceballos, H. (782) 126

Faber, K.M., see Wilson, C.C. (782) 235
Feria-Velasco, A., see Salgado-Ceballos, H. (782) 126
Follesa, P., Wrathall, J.R. and Mocchetti, I.
2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(F)-quinoxaline (NBQX) increases fibroblast growth factor mRNA levels after contusive spinal cord injury (782) 306
Foutz, A.S., see Zheng, Y. (782) 113
Frye, G.D., see Grover, C.A. (782) 43
Fujishima, M., see Nakane, H. (782) 290
Futagami, K., see Kawasaki, H. (782) 333

Gábriel, R., Völgyi, B. and Pollák, E.
Calretinin-immunoreactive elements in the retina and optic tectum of the frog, *Rana esculenta* (782) 53
Giraudo, S.Q., Billington, C.J. and Levine, A.S.
Effects of the opioid antagonist naltrexone on feeding induced by DAMGO in the central nucleus of the amygdala and in the paraventricular nucleus in the rat (782) 18
Goepfert, F., see Schaffhauser, H. (782) 91
Gomita, Y., see Kawasaki, H. (782) 333
Gozariu, M., Roth, V., Keime, F., Le Bars, D. and Willer, J.-C.
An electrophysiological investigation into the monosynaptic H-reflex in the rat (782) 343
Grijalva, I., see Salgado-Ceballos, H. (782) 126
Grover, C.A., Wallace, K.A., Lindberg, S.A. and Frye, G.D.
Ethanol inhibition of NMDA currents in acutely dissociated medial septum/diagonal band neurons from ethanol dependent rats (782) 43
Grünwald, F., see Duelli, R. (782) 36
Guizar-Sahagun, G., see Salgado-Ceballos, H. (782) 126

Hallman, D.M., see Supowit, S.C. (782) 184
Haring, J.H., see Wilson, C.C. (782) 235
Harp, J.J., see Bennett, B.A. (782) 219
He, Q.-P., see Li, P.-A. (782) 175
Heller, H.C., see Ruby, N.F. (782) 63
Hoebel, B.G., see Rada, P.V. (782) 228
Hollingsworth, C.K., see Bennett, B.A. (782) 219
Hull, E.M., see Du, J. (782) 11

Ibarra, A., see Salgado-Ceballos, H. (782) 126
Ibayashi, S., see Nakane, H. (782) 290

Jhoo, W.-K., see Kim, H.-C. (782) 337
Johnson, A.K., see Xu, Z. (782) 24
Johnstone, L.E., see Douglas, A.J. (782) 167

Kakiuchi, T., see Yamamoto, S. (782) 194
Kapin, M.A., see Reyes, M. (782) 212
Kawasaki, H., Araki, H., Futagami, K. and Gomita, Y.
Age-related decrease in centrally-mediated pressor response to clonidine in conscious rats (782) 333
Keime, F., see Gozariu, M. (782) 343
Kemp, J.A., see Schaffhauser, H. (782) 91
Khrestchatisky, M., see Rafiki, A. (782) 142
Kim, H.-C., Suh, J.-H., Won, J.-S., Jhoo, W.-K., Song, D.-K., Kim, Y.-H., Wie, M.-B. and Suh, H.-W.
Phenidone blocks the increases of proenkephalin and prodynorphin gene expression induced by kainic acid in rat hippocampus: involvement of Fos-related antigene protein (782) 337
Kim, Y.-H., see Kim, H.-C. (782) 337
Kitazono, T., see Nakane, H. (782) 290
Knapp, D.J., Overstreet, D.H. and Crews, F.T.
Brain 5-HT_{1A} receptor autoradiography and hypothermic responses in rats bred for differences in 8-OH-DPAT sensitivity (782) 1
Knoflach, F., see Schaffhauser, H. (782) 91
Köller, H., see Allert, N. (782) 261
Kuschinsky, W., see Duelli, R. (782) 36
Kuschinsky, W., see Li, P.-A. (782) 175

Lambert, C., see Plamondon, H. (782) 202
Le Bars, D., see Gozariu, M. (782) 343
Levine, A.S., see Giraudo, S.Q. (782) 18
Li, P.-A., Vogel, J., He, Q.-P., Smith, M.-L., Kuschinsky, W. and Siesjö, B.K.
Preischemic hyperglycemia leads to rapidly developing brain damage with no change in capillary patency (782) 175
Lindberg, S.A., see Grover, C.A. (782) 43

ELSEVIER

Brain Research 782 (1998) 352–354

BRAIN RESEARCH

Author Index

Adam, G., see Schaffhauser, H. (782) 91
Allert, N., Köller, H. and Siebler, M.
Ammonia-induced depolarization of cultured rat cortical astrocytes (782) 261
Anadón, R., Meléndez-Ferro, M., Pérez-Costas, E., Pombal, M.A. and Rodicio, M.C.
Centrifugal fibers are the only GABAergic structures of the retina of the larval sea lamprey: an immunocytochemical study (782) 297
Araki, H., see Kawasaki, H. (782) 333
Auerbach, E.A., see Turgeon, S.M. (782) 329

Barnabei, O., see Lucchi, R. (782) 105
Barnes, J.R., see Raley-Susman, K.M. (782) 281
Ben-Ari, Y., see Rafiki, A. (782) 142
Bennett, B.A., Hollingsworth, C.K., Martin, R.S. and Harp, J.J.
Methamphetamine-induced alterations in dopamine transporter function (782) 219
Bhargava, H.N., Sharma, S.S. and Bian, J.-T.
Evidence for a role of *N*-Methyl-D-aspartate receptors in L-arginine-induced attenuation of morphine antinociception (782) 314
Bian, J.-T., see Bhargava, H.N. (782) 314
Billington, C.J., see Giraudo, S.Q. (782) 18
Birnbaum, S.G. and Davis, M.
Modulation of the acoustic startle reflex by infusion of corticotropin-releasing hormone into the nucleus reticularis pontis caudalis (782) 318
Bleuel, Z., see Schaffhauser, H. (782) 91
Blum, J.E., see Turgeon, S.M. (782) 329
Brooks, P.J., see Douglas, A.J. (782) 167

Cartmell, J., see Schaffhauser, H. (782) 91
Cassetta, E., see Rossini, P.M. (782) 153
Chan, S.H.H., see Luoh, H.F. (782) 73
Chevassus-au-Louis, N., see Rafiki, A. (782) 142
Crews, F.T., see Knapp, D.J. (782) 1

Dark, J., see Ruby, N.F. (782) 63
Davis, M., see Birnbaum, S.G. (782) 318
Dawe, G.S., see Raevsky, V.V. (782) 324
DeLorenzo, R.J., see Rice, A.C. (782) 240
Denavit-Saubié, M., see Zheng, Y. (782) 113
DiPette, D.J., see Supowit, S.C. (782) 184
Douglas, A.J., Meeren, H.K.M., Johnstone, L.E., Pfaff, D.W., Russell, J.A. and Brooks, P.J.
Stimulation of expression of the oxytocin gene in rat supraoptic neurons at parturition (782) 167
Du, J., Lorrain, D.S. and Hull, E.M.
Castration decreases extracellular, but increases intracellular, dopamine in medial preoptic area of male rats (782) 11
Dubner, R., see Wei, F. (782) 136
Duelli, R., Staudt, R., Grünwald, F. and Kuschinsky, W.
Increase of glucose transporter densities (Glut1 and Glut3) during chronic administration of nicotine in rat brain (782) 36

Espitia, L., see Salgado-Ceballos, H. (782) 126

Faber, K.M., see Wilson, C.C. (782) 235
Feria-Velasco, A., see Salgado-Ceballos, H. (782) 126
Follesa, P., Wrathall, J.R. and Mocchetti, I.
2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(F)-quinoxaline (NBQX) increases fibroblast growth factor mRNA levels after contusive spinal cord injury (782) 306
Foutz, A.S., see Zheng, Y. (782) 113
Frye, G.D., see Grover, C.A. (782) 43
Fujishima, M., see Nakane, H. (782) 290
Futagami, K., see Kawasaki, H. (782) 333

Gábriel, R., Völgyi, B. and Pollák, E.
Calretinin-immunoreactive elements in the retina and optic tectum of the frog, *Rana esculenta* (782) 53
Giraudo, S.Q., Billington, C.J. and Levine, A.S.
Effects of the opioid antagonist naltrexone on feeding induced by DAMGO in the central nucleus of the amygdala and in the paraventricular nucleus in the rat (782) 18
Goepfert, F., see Schaffhauser, H. (782) 91
Gomita, Y., see Kawasaki, H. (782) 333
Gozariu, M., Roth, V., Keime, F., Le Bars, D. and Willer, J.-C.
An electrophysiological investigation into the monosynaptic H-reflex in the rat (782) 343
Grijalva, I., see Salgado-Ceballos, H. (782) 126
Grover, C.A., Wallace, K.A., Lindberg, S.A. and Frye, G.D.
Ethanol inhibition of NMDA currents in acutely dissociated medial septum/diagonal band neurons from ethanol dependent rats (782) 43
Grünwald, F., see Duelli, R. (782) 36
Guizar-Sahagun, G., see Salgado-Ceballos, H. (782) 126

Hallman, D.M., see Supowit, S.C. (782) 184
Haring, J.H., see Wilson, C.C. (782) 235
Harp, J.J., see Bennett, B.A. (782) 219
He, Q.-P., see Li, P.-A. (782) 175
Heller, H.C., see Ruby, N.F. (782) 63
Hoebel, B.G., see Rada, P.V. (782) 228
Hollingsworth, C.K., see Bennett, B.A. (782) 219
Hull, E.M., see Du, J. (782) 11

Ibarra, A., see Salgado-Ceballos, H. (782) 126
Ibayashi, S., see Nakane, H. (782) 290

Jhoo, W.-K., see Kim, H.-C. (782) 337
Johnson, A.K., see Xu, Z. (782) 24
Johnstone, L.E., see Douglas, A.J. (782) 167

Kakiuchi, T., see Yamamoto, S. (782) 194
Kapin, M.A., see Reyes, M. (782) 212
Kawasaki, H., Araki, H., Futagami, K. and Gomita, Y.
Age-related decrease in centrally-mediated pressor response to clonidine in conscious rats (782) 333
Keime, F., see Gozariu, M. (782) 343
Kemp, J.A., see Schaffhauser, H. (782) 91
Khrestchatisky, M., see Rafiki, A. (782) 142
Kim, H.-C., Suh, J.-H., Won, J.-S., Jhoo, W.-K., Song, D.-K., Kim, Y.-H., Wie, M.-B. and Suh, H.-W.
Phenidone blocks the increases of proenkephalin and prodynorphin gene expression induced by kainic acid in rat hippocampus: involvement of Fos-related antigene protein (782) 337
Kim, Y.-H., see Kim, H.-C. (782) 337
Kitazono, T., see Nakane, H. (782) 290
Knapp, D.J., Overstreet, D.H. and Crews, F.T.
Brain 5-HT_{1A} receptor autoradiography and hypothermic responses in rats bred for differences in 8-OH-DPAT sensitivity (782) 1
Knoflach, F., see Schaffhauser, H. (782) 91
Köller, H., see Allert, N. (782) 261
Kuschinsky, W., see Duelli, R. (782) 36
Kuschinsky, W., see Li, P.-A. (782) 175

Lambert, C., see Plamondon, H. (782) 202
Le Bars, D., see Gozariu, M. (782) 343
Levine, A.S., see Giraudo, S.Q. (782) 18
Li, P.-A., Vogel, J., He, Q.-P., Smith, M.-L., Kuschinsky, W. and Siesjö, B.K.
Preischemic hyperglycemia leads to rapidly developing brain damage with no change in capillary patency (782) 175
Lindberg, S.A., see Grover, C.A. (782) 43

Lorrain, D.S., see Du, J. (782) 11
Lucchi, R., Notari, S., Pierantozzi, S., Barnabei, O., Villani, L. and Poli, A.
Effect of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in goldfish cerebellum: neurochemical and immunocytochemical analysis (782) 105
Luoh, H.F. and Chan, S.H.H.
Participation of AT_1 and AT_2 receptor subtypes in the tonic inhibitory modulation of baroreceptor reflex response by endogenous angiotensins at the nucleus tractus solitarii in the rat (782) 73
Lupoi, D., see Rossini, P.M. (782) 153

Madrazo, I., see Salgado-Ceballos, H. (782) 126
Marín Bivens, C.L., Thomas, W.J. and Stanley, B.G.
Similar feeding patterns are induced by perifornical neuropeptide Y injection and by food deprivation (782) 271
Mark, G.P., see Rada, P.V. (782) 228
Martin, R.S., see Bennett, B.A. (782) 219
Meeren, H.K.M., see Douglas, A.J. (782) 167
Meléndez-Ferro, M., see Anadón, R. (782) 297
Merali, Z., see Plamondon, H. (782) 202
Mocchetti, I., see Follesa, P. (782) 306
Moshé, S.L., see Velíšek, L. (782) 310
Mutel, V., see Schaffhauser, H. (782) 91

Nadelhaft, I., see Steinbacher Jr., B.C. (782) 255
Nakane, H., Yao, H., Ibayashi, S., Kitazono, T., Ooboshi, H., Uchimura, H. and Fujishima, M.
Protein kinase C modulates ischemia-induced amino acids release in the striatum of hypertensive rats (782) 290
Namima, M., Sugihara, K. and Okamoto, K.
Lithium inhibits the reverse tolerance and the c-Fos expression induced by methamphetamine in mice (782) 83
Nishizawa, S., see Yamamoto, S. (782) 194
Nisikawa, Y., Shimazoe, T., Shibata, S. and Watanabe, S.
N-Methyl-D-aspartate receptors are indispensable for the formation of long-term potentiation in the rat suprachiasmatic nucleus in vitro (782) 303
Notari, S., see Lucchi, R. (782) 105

Okamoto, K., see Namima, M. (782) 83
Ooboshi, H., see Nakane, H. (782) 290
Opitz, T., see Reyes, M. (782) 212
Orlacchio, A., see Rossini, P.M. (782) 153
Overstreet, D.H., see Knapp, D.J. (782) 1

Park, T.S., see Werth, J.L. (782) 248
Pasqualetti, P., see Rossini, P.M. (782) 153
Pérez-Costas, E., see Anadón, R. (782) 297
Pfaff, D.W., see Douglas, A.J. (782) 167
Pierantozzi, S., see Lucchi, R. (782) 105
Pink, J.R., see Schaffhauser, H. (782) 91
Pizzella, V., see Rossini, P.M. (782) 153
Plamondon, H., Lambert, C. and Merali, Z.
Sustained bombesin exposure results in receptor down-regulation and tolerance to the chronic but not acute effects of bombesin on ingestion (782) 202
Poli, A., see Lucchi, R. (782) 105
Pollák, E., see Gábriel, R. (782) 53
Pombal, M.A., see Anadón, R. (782) 297

Rada, P.V., Mark, G.P. and Hoebel, B.G.
Dopamine release in the nucleus accumbens by hypothalamic stimulation-escape behavior (782) 228
Raevsky, V.V., Dawe, G.S., Sinden, J.D. and Stephenson, J.D.
Lesions of the nucleus basalis magnocellularis do not alter the proportions of pirenzepine- and gallamine-sensitive responses of somatosensory cortical neurones to acetylcholine in the rat (782) 324
Rafiki, A., Chevassus-au-Louis, N., Ben-Ari, Y., Khrestchatisky, M. and Represa, A.
Glutamate receptors in dysplasic cortex: an in situ hybridization and immunohistochemistry study in rats with prenatal treatment with methylazoxymethanol (782) 142
Raley-Susman, K.M. and Barnes, J.R.
The effects of extracellular pH and calcium manipulation on protein synthesis and response to anoxia/aglycemia in the rat hippocampal slice (782) 281
Rekling, J.C., see Zheng, Y. (782) 113
Ren, K., see Wei, F. (782) 136
Represa, A., see Rafiki, A. (782) 142
Reyes, A., see Reyes, M. (782) 212
Reyes, M., Reyes, A., Opitz, T., Kapin, M.A. and Stanton, P.K.
Eliprodil, a non-competitive, NR2B-selective NMDA antagonist, protects pyramidal neurons in hippocampal slices from hypoxic/ischemic damage (782) 212
Rice, A.C. and DeLorenzo, R.J.
NMDA receptor activation during status epilepticus is required for the development of epilepsy (782) 240
Richards, J.G., see Schaffhauser, H. (782) 91
Riche, D., see Zheng, Y. (782) 113
Rodicio, M.C., see Anadón, R. (782) 297
Romani, G.L., see Rossini, P.M. (782) 153
Rossini, P.M., Tecchio, F., Pizzella, V., Lupoi, D., Cassetta, E., Pasqualetti, P., Romani, G.L. and Orlacchio, A.
On the reorganization of sensory hand areas after mono-hemispheric lesion: a functional (MEG)/anatomical (MRI) integrative study (782) 153
Roth, V., see Gozariu, M. (782) 343
Rothman, S.M., see Werth, J.L. (782) 248
Ruby, N.F., Dark, J., Heller, H.C. and Zucker, I.
Suprachiasmatic nucleus: role in circannual body mass and hibernation rhythms of ground squirrels (782) 63
Russell, J.A., see Douglas, A.J. (782) 167
Ryu, H., see Yamamoto, S. (782) 194

Sako, K., see Tohyama, Y. (782) 348
Salgado-Ceballos, H., Guizar-Sahagun, G., Feria-Velasco, A., Grijalva, I., Espitia, L., Ibarra, A. and Madrazo, I.
Spontaneous long-term remyelination after traumatic spinal cord injury in rats (782) 126
Schaffhauser, H., Knoflach, F., Pink, J.R., Bleuel, Z., Cartmell, J., Goepfert, F., Kemp, J.A., Richards, J.G., Adam, G. and Mutel, V.
Multiple pathways for regulation of the KCl-induced [^{3}H]-GABA release by metabotropic glutamate receptors, in primary rat cortical cultures (782) 91
Sharma, S.S., see Bhargava, H.N. (782) 314
Shibata, S., see Nisikawa, Y. (782) 303
Shimazoe, T., see Nisikawa, Y. (782) 303
Siebler, M., see Allert, N. (782) 261
Siesjö, B.K., see Li, P.-A. (782) 175
Silbergeld, D.L., see Werth, J.L. (782) 248
Sinden, J.D., see Raevsky, V.V. (782) 324
Smith, M.-L., see Li, P.-A. (782) 175
Song, D.-K., see Kim, H.-C. (782) 337
Stanley, B.G., see Marín Bivens, C.L. (782) 271
Stanton, P.K., see Reyes, M. (782) 212
Staudt, R., see Duelli, R. (782) 36
Steinbacher Jr., B.C. and Nadelhaft, I.
Increased levels of nerve growth factor in the urinary bladder and hypertrophy of dorsal root ganglion neurons in the diabetic rat (782) 255
Stephenson, J.D., see Raevsky, V.V. (782) 324
Sugihara, K., see Namima, M. (782) 83
Suh, H.-W., see Kim, H.-C. (782) 337
Suh, J.-H., see Kim, H.-C. (782) 337
Supowit, S.C., Hallman, D.M., Zhao, H. and DiPette, D.J.
α_2-Adrenergic receptor activation inhibits calcitonin gene-related peptide expression in cultured dorsal root ganglia neurons (782) 184

Tecchio, F., see Rossini, P.M. (782) 153
Thomas, W.J., see Marín Bivens, C.L. (782) 271
Tohyama, Y., Sako, K. and Yonemasu, Y.
Hypothermia attenuates the activation of protein kinase C in focal ischemic rat brain: dual autoradiographic study of [^{3}H]phorbol 12,13-dibutyrate and iodo[^{14}C]antipyrine (782) 348
Tsukada, H., see Yamamoto, S. (782) 194
Turgeon, S.M., Blum, J.E. and Auerbach, E.A.
Behavioral sensitization to amphetamine is not accompanied by a decrease in the number of c-Fos containing cells in the striatum (782) 329

Uchimura, H., see Nakane, H. (782) 290
Uemura, K., see Yamamoto, S. (782) 194

Velíšek, L., Velíšková, J. and Moshé, S.L.
Site-specific effects of local pH changes in the substantia nigra pars reticulata on flurothyl-induced seizures (782) 310
Velíšková, J., see Velíšek, L. (782) 310
Villani, L., see Lucchi, R. (782) 105
Vogel, J., see Li, P.-A. (782) 175
Völgyi, B., see Gábriel, R. (782) 53

Wallace, K.A., see Grover, C.A. (782) 43
Watanabe, S., see Nisikawa, Y. (782) 303
Wei, F., Ren, K. and Dubner, R.
Inflammation-induced Fos protein expression in the rat spinal cord is enhanced following dorsolateral or ventrolateral funiculus lesions (782) 136
Werth, J.L., Park, T.S., Silbergeld, D.L. and Rothman, S.M.
Excitotoxic swelling occurs in oxygen and glucose deprived human cortical slices (782) 248
Wie, M.-B., see Kim, H.-C. (782) 337
Willer, J.-C., see Gozariu, M. (782) 343
Wilson, C.C., Faber, K.M. and Haring, J.H.
Serotonin regulates synaptic connections in the dentate molecular layer of adult rats via 5-HT_{1a} receptors: evidence for a glial mechanism (782) 235
Won, J.-S., see Kim, H.-C. (782) 337
Wrathall, J.R., see Follesa, P. (782) 306

Xu, Z. and Johnson, A.K.
Central renin injections: effects on drinking and expression of immediate early genes (782) 24

Yamamoto, S., Nishizawa, S., Tsukada, H., Kakiuchi, T., Yokoyama, T., Ryu, H. and Uemura, K.
Cerebral blood flow autoregulation following subarachnoid hemorrhage in rats: Chronic vasospasm shifts the upper and lower limits of the autoregulatory range toward higher blood pressures (782) 194
Yao, H., see Nakane, H. (782) 290
Yokoyama, T., see Yamamoto, S. (782) 194
Yonemasu, Y., see Tohyama, Y. (782) 348

Zhao, H., see Supowit, S.C. (782) 184
Zheng, Y., Riche, D., Rekling, J.C., Foutz, A.S. and Denavit-Saubié, M.
Brainstem neurons projecting to the rostral ventral respiratory group (VRG) in the medulla oblongata of the rat revealed by co-application of NMDA and biocytin (782) 113
Zucker, I., see Ruby, N.F. (782) 63